Optics & Laser Technology

INDEX TO VOLUME 23 (1991)

No 1 February 1-64
No 2 April 65-128
No 3 June 129-192
No 4 August 193-256
No 5 October 257-320
No 6 December 321-376

Articles

(RN = research note;
TN = technical note)

1 A gigahertz tunable, high power, high repetition rate rf CO_2 laser operating without He, *Marchetti, S., Simili, R.* 335

2 A new technique for the measurement of phase retardation, *Sypek, M.* 42

3 A simple interferometric linear position transducer (TN), *Toal, V., Reynolds, M.* 50

4 A simple positive-step alignment technique for a ring resonator (TN), *Jones, D.R., Lainé, D.C.* 54

5 A simple technique for generating single-mode nanosecond pulses of 10.6 μm radiation, *Badziak, J., Jarocki, R.* 45

6 A telescopic illumination system for a wide-field endoscope, *Dobson, S.J., Cox, A., Watson, P.J.* 15

7 Active Q-switching of the alexandrite laser, *Völker, F., Dong, S.* 331

8 Algorithm for subpixel edge positioning and part sizing under coherent projection, *Cielo, P., Vaudreuil, G.* 85

9 Alignment and/or tilting measurements by means of conical diffraction phenomena, *Hogert, E.N., Rebollo, M.A., Gaggioli, N.G.* 341

10 An automatically controlled Nd:YAG laser with variable pulse width, *Lupei, V., Dascălu, T., Florea, V., Nicolescu, V., Mogoş, M.* 155

11 An inexpensive method of efficiency improvement in fast axial flow, high power cw CO_2 lasers by the addition of argon (TN), *Chatterjee, T., Sehgal, S.K., Chatterjee, U.K.* 121

12 Anisotropic conical scattering in photorefractive $BaTiO_3$: diffraction efficiency measurements, *Jospeh, J., Singh, K., Pillai, P.K.C.* 338

13 Application of particle image velocimetry to large-scale transonic wind tunnels, *Towers, C.E., Bryanston-Cross, P.J., Judge, T.R.* 289

14 Bio-speckle phenomena and their application to the evaluation of blood flow, *Aizu, Y., Asakura, T.* 205

15 Bleached phase holograms exposed on Agfa-Gevaert 10E75 NAH plates, *Kumar, S., Singh, K.* 37

16 Compact N_2 laser oscillator-amplifier system for laser microbeam application, *Kurniawan, H., Barmawi, M., Tjia, M.O., Kobayashi, T., Kagawa, K.* 115

17 Continuously tunable multi-atmosphere small size CO_2 TEA laser, *Marchetti, S., Simili, R.* 31

18 Crystal orientation dependence of the SNR for signal beam amplification in photorefractive $BaTiO_3$, *Joseph, J., Singh, K., Pillai, P.K.C.* 237

19 Curvature and focal length measurements using compensation of a collimated beam, *Sriram, K.V., Kothiyal, M.P., Sirohi, R.S.* 241

20 Determination of the surface parameters for aspheric aphakic lenses, *Medhat, M., Hassan, A.F., El-Nashar, N.F., Salman, S.M.M.* 308

21 Diffraction-free beam generation using refracting systems, *Thewes, K., Karim, M.A., Awwal, A.A.S.* 105

22 Digital phase-step interferometry: a simplified approach, *Williams, D.C., Nassar, N.S., Banyard, J.E., Virdee, M.S.* 147

23 Double-exposed Gabor holograms: a new approach to storage of information, *El-Nicklawy, M.M., El-Dessouki, T.A., Hosny, H.M.* 163

24 Fabrication of a binary-phase-only filter (BPOF) on transparency film, *Brandstetter, R., Leib, K.* 247

25 Fibre-optic digital single point temperature sensing element (TN), *Gauthier, R.C., Boudreau, M.* 357

Optics & Laser Technology

INDEX TO VOLUME 23 (1991)

No 1 February 1-64
No 2 April 65-128
No 3 June 129-192
No 4 August 193-256
No 5 October 257-320
No 6 December 321-376

Articles

(RN = research note;
TN = technical note)

1 A gigahertz tunable, high power, high repetition rate rf CO_2 laser operating without He, *Marchetti, S., Simili, R.* 335

2 A new technique for the measurement of phase retardation, *Sypek, M.* 42

3 A simple interferometric linear position transducer (TN), *Toal, V., Reynolds, M.* 50

4 A simple positive-step alignment technique for a ring resonator (TN), *Jones, D.R., Lainé, D.C.* 54

5 A simple technique for generating single-mode nanosecond pulses of 10.6 μm radiation, *Badziak, J., Jarocki, R.* 45

6 A telescopic illumination system for a wide-field endoscope, *Dobson, S.J., Cox, A., Watson, P.J.* 15

7 Active Q-switching of the alexandrite laser, *Völker, F., Dong, S.* 331

8 Algorithm for subpixel edge positioning and part sizing under coherent projection, *Cielo, P., Vaudreuil, G.* 85

9 Alignment and/or tilting measurements by means of conical diffraction phenomena, *Hogert, E.N., Rebollo, M.A., Gaggioli, N.G.* 341

10 An automatically controlled Nd:YAG laser with variable pulse width, *Lupei, V., Dascălu, T., Florea, V., Nicolescu, V., Mogoş, M.* 155

11 An inexpensive method of efficiency improvement in fast axial flow, high power cw CO_2 lasers by the addition of argon (TN), *Chatterjee, T., Sehgal, S.K., Chatterjee, U.K.* 121

12 Anisotropic conical scattering in photorefractive $BaTiO_3$: diffraction efficiency measurements, *Jospeh, J., Singh, K., Pillai, P.K.C.* 338

13 Application of particle image velocimetry to large-scale transonic wind tunnels, *Towers, C.E., Bryanston-Cross, P.J., Judge, T.R.* 289

14 Bio-speckle phenomena and their application to the evaluation of blood flow, *Aizu, Y., Asakura, T.* 205

15 Bleached phase holograms exposed on Agfa-Gevaert 10E75 NAH plates, *Kumar, S., Singh, K.* 37

16 Compact N_2 laser oscillator-amplifier system for laser microbeam application, *Kurniawan, H., Barmawi, M., Tjia, M.O., Kobayashi, T., Kagawa, K.* 115

17 Continuously tunable multi-atmosphere small size CO_2 TEA laser, *Marchetti, S., Simili, R.* 31

18 Crystal orientation dependence of the SNR for signal beam amplification in photorefractive $BaTiO_3$, *Joseph, J., Singh, K., Pillai, P.K.C.* 237

19 Curvature and focal length measurements using compensation of a collimated beam, *Sriram, K.V., Kothiyal, M.P., Sirohi, R.S.* 241

20 Determination of the surface parameters for aspheric aphakic lenses, *Medhat, M., Hassan, A.F., El-Nashar, N.F., Salman, S.M.M.* 308

21 Diffraction-free beam generation using refracting systems, *Thewes, K., Karim, M.A., Awwal, A.A.S.* 105

22 Digital phase-step interferometry: a simplified approach, *Williams, D.C., Nassar, N.S., Banyard, J.E., Virdee, M.S.* 147

23 Double-exposed Gabor holograms: a new approach to storage of information, *El-Nicklawy, M.M., El-Dessouki, T.A., Hosny, H.M.* 163

24 Fabrication of a binary-phase-only filter (BPOF) on transparency film, *Brandstetter, R., Leib, K.* 247

25 Fibre-optic digital single point temperature sensing element (TN), *Gauthier, R.C., Boudreau, M.* 357

26 Film thickness measurement by frustrated total reflection fluorescence, *Heavens, O.S., Gingell, D.* 175

27 Flaw detection in composites using time-average shearography, *Toh, S.L., Shang, H.M., Chau, F.S., Tay, C.J.* 25

28 Implications of atmospheric attenuation in Raman lidar detection of pollutants, *Ahmed, S.R., Billiet, E.M.* 180

29 Interferometric techniques for correction of sample tilt in the Sommargren profilometer for surface roughness studies, *Shukla, R.P., Perera, G.M., Venkateswarlu, P., George, M.C.* 98

30 Large energy 1341.4 nm Nd:$YALO_3$ pulse laser (RN), *Shen, H.Y., Zhou, Y.P., Zeng, R.R., Yu, G.F., Huang, Ç.H., Zeng, Z.D., Zhang, W.J., Lin, W.X., Ye, Q.J.* 366

31 Measurement of the deformation of thin plates by moiré interferometry, *Wang, Lingli, Yun, Dazhen* 151

32 Method for scaling the output focal curves formed by computer generated zone plates, *Bara, S., Jaroszewicz, Z., Kolodziejczyk, A., Sypek, M.* 303

33 New large-aperture and high-accuracy lateral shearing interferometer, *An Zhi He, Hai Lin Wang, Peng Cheng Miao, Da Peng Yan* 221

34 One-step, full-view rainbow holograms with conventional plates of 6 μm emulsion, *Cai, L.Z., Gao, X.Y., Lu, Z., Min, Y.X.* 229

35 Optical modulation and digital demodulation of an in-plane moiré carrier, *Fang, J.* 349

36 Optically-addressed spatial light modulators, *Hudson, T.D., Gregory, D.A.* 297

37 Phase-only and binary phase-only spatial filters for optical correlators, *Pernick, B.J.* 273

38 Photothermal imaging by F-Z_2 colour centre conversion in KCl doped with gadolinium, *Vijayan, C., Murti, Y.V.G.S.* 353

39 Polarization-encoded optical shadow casting, an efficient multiprocessor design using truth-table partitioning, *Ahmed, J.U., Awwal, A.A.S.* 345

40 Real-time coloured visualization of phase flows by the schlieren method (TN), *Arbuzov, V.A., Dubnistchev, Yu.N.* 118

41 Real-time non-linear image processing using an active optical scanning technique, *Duncan, B.D., Poon, T.-C., Pieper, R.J.* 19

42 Refractive fringe diagnostic of spherical shocks, *Michaelis, M.M., Waltham, J.A., Cunningham, P.F.* 283

43 Self-induced mismatching effects in harmonic generation with ultra-short laser pulses, *Cutolo, A., Zeni, L.* 109

44 Setting sensitivity in Talbot interferometry with modified gratings (TN), *Kothiyal, M.P., Sriram, K.V., Sirohi, R.S.* 361

45 Some laser damage of glass, scintillator and optical materials, *Sreckovic, M., Ivanovic, N., Sijacki-Zeravcic, V., Ostojic, S., Vedlin, B., Vujkovic Cvijin, P., Boreli, F., Stepic, R.* 169

46 Stability improvement in bleached phase holograms, *Kumar, S., Singh, K.* 225

47 Twin N_2 laser for time-resolved absorption spectroscopy and dye laser oscillator-amplifier pumping, *Kagawa, K., Kurniawan, H., Kobayashi, T.* 233

48 Two-conjugate zoom system for an ophthalmoscope, *Dobson, S.J., Farmer, J., Smith, G.* 79

49 Wide range laser beam diameter measurement using a periodic exponential grating, *Awwal, A.A.S., Smith, J.A., Belloto, J., Bharatram, G.* 159

Authors of articles
(Number refers to article number)

Ahmed, S.R. 28
Ahmed, J.U. 39
Aizu, Y. 14
An Zhi He, 33
Arbuzov, V.A. 40
Asakura, T. 14
Awwal, A.A.S. 21, 39, 49
Badziak, J. 5
Banyard, J.E. 22
Bara, S. 32
Barmawi, M. 16
Belloto, J. 49
Bharatram, G. 49
Billiet, E.M. 28
Boreli, F. 45
Boudreau, M. 25
Brandstetter, R. 24
Bryanston-Cross, P.J. 13
Cai, L.Z. 34
Chatterjee, U.K. 11
Chatterjee, T. 11
Chau, F.S. 27
Cielo, P. 8
Cox, A. 6
Cunningham, P.F. 42
Cutolo, A. 43
Da Peng Yan, 33
Dascălu, T. 10
Dobson, S.J. 6, 48
Dong, S. 7
Dubnistchev, Yu. N. 40
Duncan, B.D. 41
El-Dessouki, T.A. 23
El-Nashar, N.F. 20
El-Nicklawy, M.M. 23
Fang, J. 35
Farmer, J. 48
Florea, V. 10
Gaggioli, N.G. 9
Gao, X.Y. 34
Gauthier, R.C. 25
George, M.C. 29

Gingell, D. 26
Gregory, D.A. 36
Hai Lin Wang, 33
Hassan, A.F. 20
Heavens, O.S. 26
Hogert, E.N. 9
Hosny, H.M. 23
Huang, C.H. 30
Hudson, T.D. 36
Ivanovic, N. 45
Jarocki, R. 5
Jaroszewicz, Z. 32
Jones, D.R. 4
Joseph, J. 12, 18
Judge, T.R. 13
Kagawa, K. 16, 47
Karim, M.A. 21
Kobayashi, T. 16, 47
Kolodziejczyk, A. 32
Kothiyal, M.P. 19, 44
Kumar, S. 15, 46
Kurniawan, H. 16, 47
Lainé, D.C. 4
Leib, K. 24
Lin, W.X. 30
Lu, Z. — 34
Lupei, V. 10
Marchetti, S. 1, 17
Medhat, M. 20
Michaelis, M.M. 42
Min, Y.X. 34
Mogos, M. 10
Murti, Y.V.G.S. 38
Nassar, N.S. 22
Nicolescu, V. 10
Ostojic, S. 45
Peng Cheng Miao, 33
Perera, G.M. 29
Pernick, B.J. 37
Pieper, R.J. 41
Pillai, P.K.C. 12, 18
Poon, T.-C. 41
Rebollo, M.A. 9
Reynolds, M. 3
Salman, S.M.M. 20
Sehgal, S.K. 11
Shang, H.M. 27
Shen, H.Y. 30
Shukla, R.P. 29
Sijacki-Zeravcic, V. 45
Simili, R. 1, 17
Singha, K. 12, 15, 18, 46
Sirohi, R.S. 19, 44
Smith, G. 48
Smith, J.A. 49
Sreckovic, M. 45
Sriram, K.V. 19, 44
Stepic, R. 45
Sypek, M. 2, 32
Tay, C.J. 27
Thewes, K. 21
Tjia, M.O. 16
Toal, V. 3
Toh, S.L. 27
Towers, C.E. 13
Vaudreuil, G. 8
Vedlin, B. 45
Venkateswarlu, P. 29
Vijayan, C. 38
Virdee, M.S. 22
Völker, F. 7
Vujkovic Cvijin, P. 45
Waltham, J.A. 42
Wang, Linli, 31
Watson, P.J. 6
Williams, D.C. 22
Ye, Q.J. 30
Yu, G.F. 30
Yun, Dazhen, 31
Zeng, Z.D. 30
Zeng, R.R. 30
Zeni, L. 43
Zhang, W.J. 30
Zhou, Y.P. 30

Keywords
(Number refers to article number)

alignment, 4,9
anisotropic conical scattering, 12
arc discharges, 42
argon, 11
attenuation, 28
$BaTiO_3$, 12
beam diameters, 49
beam generation, 21
beam measurements, 49
binary-phase-only filters, 24
biological tissue, 14
bleaching, 15,46
blood flow, 14
coherent shadow projection, 8
collimation, 19
colour centres, 38
composites, 27
computer generated holograms, 32
computer generation, 24
damage thresholds, 45
debonds, 27
diffraction, 9
diffraction efficiency, 15,46
diffraction (Fresnel), 32
diffraction limited optics, 13
diffraction patterns, 2
double exposure, 23
edge detection algorithms, 8
edge extraction, 41
edge positioning, 8
electro-optical switches, 5
endoscopes, 6
evanescent waves, 26
fibre optics, 6,25
flaw detection, 27
flow measurement, 14
flow visualization, 33
fluorescence, 26
focal length measurements, 19
fringe analysis, 22
fringe carriers, 35
fringes, 31, 42
frustrated total reflection fluorescence, 26
Gabor holograms, 23
gases, 5
gratings, 44,49
grey-image subtraction, 35
holographic displays, 34
holographic emulsion, 15,46
holographic recording materials, 34
holographic stability, 46
holography, 23,34
interference, 3
interferometry, 20,29,44
interferometry (moiré), 22,31
laser beams, 49
laser crystals, 30
laser damage, 45
laser efficiency, 11
laser gases, 11
lasers, 4
lasers (alexandrite), 7
lasers (CO_2), 1,5,11,17
lasers (Nd:YAG), 10
lasers (Nd:$YALO_3$), 30
laser (N_2), 16,47
LEDs, 39
lens testing, 20
lenses (aspheric aphakic), 20
microbeams, 16
microprocessor-based driver/controller, 10
mode-tuning, 5
morphological transformation, 41
multiprocessors, 39
Nd:$YALO_3$, 30
non-linear image processing, 41
ophthalmoscopes, 48
optical correlators, 37
optical materials, 45
optical memories, 38
optical processing, 36
optical scanning, 41
optical systems, 6,21
optics, 19,33,39,48
oscillator-amplifier systems, 16,47
particle imaging, 13
performance characteristics, 36
phase flows, 40
phase retardation, 2
phase stepping, 22

phase transitions, 25
phase-only filters, 24
photograph, 13
photonic information storage, 38
photorefraction, 12
photorefractive crystals, 18
polarization, 39
pollution, 28
profilometers, 29
Q-switching, 7
rainbow holograms, 34
Raman lidar, 28
refracting systems, 21
refractive fringe diagnostics, 42
resolution, 36
resonators, 4
scanning, 20
scattering, 15
scattering (Raman), 28
schlieren systems, 40
second harmonic generation, 43,
self-induced mismatching, 43
shadow casting, 39
shadow projection, 8
shearing interferometers, 33
shock waves, 42
short pulses, 5
signal beam amplification, 18
signal-to-noise ratio, 18
spatial filters, 37
spatial frequency modulation, 35
spatial light modulators, 36
speckle, 3,14,23
spectral properties, 17
spherical surfaces, 19
surface roughness, 29
Talbot interferometry, 44
telescopic illumination, 6
temperature sensors, 25
thin film measurements, 26
thin plates, 31
tilt, 29
time average shearography, 27
time-resolved spectroscopy, 47
transducers, 3
transparency films, 24
tuning, 17
two-beam coupling, 18
ultra-short laser pulses, 43
variable pulse widths, 10
velocimetry, 13
visualization, 40
zone plates, 32
zoom systems, 48

NEWS

R&D

Electro-optic probe helps UK and France to join together, 4
Integration process improves laser linewidth, 132
IR wavelength measurement, 67
Laser treatment of polymers for adhesion, 133
Lasers are not a pain in the back, 197
Lasers drill hole in aeroplane drag, 4
Lasers induce lightning strikes, 67
Light guides are light controlled, 131
Polymeric IO interferometer developed, 4
Proposals required for RACE research, 195
Shipboard demonstration of optical fibre-based acoustic sonar arrays, 131
Solid-state laser and optical guide used to convert infra-red light to blue, 132
Stake welding supplies stiff steel structures, 131
Study into underwater laser welding, 132
Transparent thermocouple, 67
Underwater holography produces plate holder, 196

Industry

Agreement over fibre-optic standards, 134
Atomic physicists' guide to laser diodes, 136
Company for laser cutting machines, 136
Culham and TWI are welded together, 68
Distributor for ultra-fast dye lasers, 134
European companies welded by common interest, 323
European fibre-optics markets to grow, 135
FIA to be focus for fibre-optic industry, 260
Fibre-optic network goes bi-directional, 200
Flashlamp company restructures, 323
Fourier transform spectrometer wins achievement award, 200
Funding for Omega laser approved, 6
Germany company opens UK office, 198
Lasers help double glazing insulation, 136
New Euronorm laser safety standards approved, 259
NIST's proposed photonic programmes, 6
Optoelectronic markets poised for growth, 134
Point source for fibre-optics, 135
Reduced hassle for exhibitors, 198
Support available for UK companies wanting to exhibit at CLEO, 260
Test methods required for optical fibre geometry, 68
Three research contracts awarded, 323
Trade Fair Support, 68
UK and German distribution agreement, 198
UK company sets up German joint venture, 260
UK distributor for ion lasers, 68
US centre for laser material processing, 136

Products

Additions to optical design programs, 70
AlGaAs/GaAs double heterostructure lasers have been produced by MOCVD, 269
Automatic splicer for up to 12 fibres, 328
Avalanche photodiode, 137
Beam guide components for CO_2 lasers, 74
Beam-splitter cubes are polarizing, 71
Burst correlator for laser Doppler velocimetry, 74
Cleaning fluids for coated and uncoated optics, 138
CO_2 laser for materials processing, 137
CO_2 monitor uses infra-red sensing, 138
Coating materials service, 140
Collimation system can achieve $\lambda/10$ accuracy, 266
Collimator for use with visible laser diodes, 8
Compact, low-cost cw laser power supplies, 10
Components for medical and industrial lasers, 329
Connector has only 0.4 dB insertion loss, 267
Copper, gold and barium vapour lasers, 142
Couplers for rare-earth doped single-mode fibres, 72
Crystal bonding without adhesive, 328
Dual-beam interferometer can save time, 70
Duplex data transmission system, 142
Evaporation materials for anti-reflection thin films, 77

Fibre cleavers have improved repeatability, 263
Fibre fault locator, 70
Fibre for erbium-doped fibre amplifiers, 138
Fibre fusion splicer estimates loss in DSF, 265
Fibre-optic controller manages five channels, 140
Fibre-optic instruments for laboratory work, 324
Fibre-optic kit for researchers, 142
Fusion splicer and OTDR for LAN installers, 327
Fusion splicer for use in the field, 137
Goggles and glasses give eye protection, 76
Housings for single-mode fibre-optic components, 72
IC for optical storage devices, 264
Infra-red detectors cover 0.8–12 μm range, 263
Infra-red flame detector can monitor itself, 8
Interface between fibres and circuitry, 327
Interferometer for velocity measurements, 326
Ion laser provides 1 W ultra-violet output, 71
Ion laser provides 8 W multiline output, 10
Lamps have twice the lifetime, 140
Laser alignment system for rough alignment, fine adjustment and inspection, 262
Laser coating device has variable injection point, 202
Laser diode has analogue or digital modulation to 50 MHz, 9
Laser for displays, 75
Laser heads measure peak power, 269
Laser light pointer has small dimensions, 73
Laser pointer has invisible beam but bright spot, 76
Laser power meter is faster, 10
Laser profiler for sheet components, 324
Laser system for packaging industries, 264
Laser system meets needs of OEMs, 329
Launch of diode-pumped solid-state laser, 267
Light source for calibration, 139
Measurement of transmission and reflection, 266
Microscopes use phase shifting interferometry, 261
Nd:YAG laser is both modular and Q-switched, 77
Nitrogen lasers are hard-sealed, 72
No breaking fibre to measure attenuation, 325
One stop source for fibre-optic test and installation equipment, 267
Optical couplant, 75
Optical coupling compound keeps clear, 139
Optical design software can analyse up to 55 surfaces, 261
Optical fibre link adaptor launched, 269
Optical grinding service, 263
Optical isolator is tunable from 700–1100 nm, 71
Optical probe measures in two-dimensions, 10
Optical polishing machine is portable, 265
Optical spectrum analyser has screen menus, 138
Optical to electrical converter has small size, 203
Output power of Ti:sapphire lasers increased, 139
Power meter for infra-red emission, 201
Power meters for visible laser diodes, 76
Power supply for medical and industrial lasers, 73
Precision cubes for opto-mechanical systems, 141
Products to provide precise positioning, 201
Receiver and repeater units for fibre trunk feeder systems, 201
SC-style connectors, 202
Shaft alignment system uses lasers, 143
Spectrometer for cockpit illumination measurement, 141
Spectrometer rejects stray light, 77
Standards for diffuse reflectance, 141
Supplier to manufacture OTDRs, 265
System automatically sets laser etalon temperature, 8
Test set to measure optical back reflection, 203
Thin-film coatings for optical components, 326
Three-axis positioner is sensitive to 0.5 μm, 75
Tracer checks fibre continuity, 69
UV laser gives short pulses, 74
Vibration tables for optical testing, 325
1800 W YAG laser, 265

Literature

Booklet on connectors, 144
Calibration standards for fibre measurements, 78
Catalogue covers electro-optics capabilities, 270
Catalogue on disc, 78
CO_2 laser cutting, 12
Colour brochure describes fibre-optic test equipment, 270
Connector catalogue, 144
Glass manufacturing techniques described in technical brochure, 12
Laser diode instrumentation, 270
Motion control products, 78
Optical tables, 78
Opto-mechanical components, 78
Opto-mechanical construction system, 144
Papers on optical fibre measurements, 144
Product guide for fibre-optic components, 144
Reference brochure on fibre-optic equipment, 144

Meetings

Chemical vapour deposition, 13
Diamond-like materials in electro-optic devices, 13
Fibre-optics exhibition includes workshops, 145
Holographic systems, components and applications, 12
Infra-red detectors and systems applications, 145
International Measurement confederation, 271
Laser anemometry, 13
Laser Doppler anemometry course has lectures and laboratory work, 145
Laser treatment of metals, 271
Laser workshops, 13
Lasers in fabricating, 13
Optical biosensing, 271
Optical design meeting organized by EUROPTO, 270
Opto-mechanical tutorials, 145
Symposium on environmental sensing, 271

Book reviews

Acousto-optic Devices and Their Applications, *L.N. Magdich and V.Ya. Molchanov* 123
Advances in Laser Science – IV, *Edited by J.L. Cole, D.F. Hellen, M. Lapp and W.C. Stwalley* 124
Fiber Optic Communications Design Handbook, *Robert J. Hoss* 368
Fluoride Glasses, *Edited by A.E. Comyns* 123
Laser Non-Surgical Medicine, *Edited by Leon Goldman* 368
Laser Ultrasonics: Techniques and Applications, *C.B. Scruby and L.E. Drain* 314
Optical Fibres and Sources for Communications, *M.J. Adams, I.D. Henning,* 251
Principles of Optical Circuit Engineering, *M.A. Mentzer* 189

Conference report

Microlens arrays, NPL, UK, 1 May 1991, 317